

SAFETY DATA SHEET

Product: Linear Low Density Polyethylene – Copolymers**Revision:** 09**Date:** 03.20.2017**Page:** 1 /10**FSP-0603-00087****1- IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND COMPANY/ UNDERTAKING**

Product name: FLEXUS 7200XP, FLEXUS 9200, FLEXUS 9211, FLEXUS 9212XP, FLEXUS CLING, HF2007, HF2207B5, HF2208S3, HF0131XP, HF3712, LF1020/21AF, LH0820/30AF, LH118, LH218, LH537, LHB118/21AF, LL4800N, LL4801N, LL5800N, LL5801N, LL6800N, ML3600S, ML3601U, ML3602U, PROXESS1806S3, PROXESS2606, PLURIS 9300.

Company: BRASKEM
Address: **Centro Prod. PE1 Camaçari**
Rua Eteno 1582
CEP 42810-00 Camaçari – BA - Brazil
Telephone number: 55(71) 3413-3600

Company: BRASKEM
Address: **Centro Prod. PE3 Camaçari**
Rua Benzeno 2391
CEP 42810-280 Camaçari – BA- Brazil
Telephone number: 55(71) 3413-4000

Company: BRASKEM
Address: **Centro Prod. PE4/PE5 Triunfo**
BR 386 – Rodovia Tabai Canoas
CEP 95853-200 Triunfo – RS- Brazil
Telephone number: 55(51) 3721-8600

Company: BRASKEM

SAFETY DATA SHEET**Product:** Linear Low Density Polyethylene – Copolymers**Revision:** 09**Date:** 03.20.2017**Page:** 2 /10**FSP-0603-00087**

Address: **Centro Prod. PE7 ABC**
Av. Presidente Costa e Silva, 1178
CEP 09270-901 Santo André – SP- Brazil

Telephone number: 55(11) 4478-1515

Company: BRASKEM

Address: **Centro Prod. PE9 Duque de Caxias**
Rua Marumbi 1001
CEP 25221-200 Duque de Caxias – RJ- Brazil

Telephone number: 55(21) 2187-7800

2- HAZARDS IDENTIFICATION

Most important hazards:	Not classified as hazardous.
Product effects	
Adverse effects to the human health:	In case of dust, Braskem suggests it to be treated as annoying dust or particulate, by international recommendations. Dust may cause respiratory irritation if inhaled.
Environmental effects:	It's expected that the product shows high persistence and slow degradability.
Physical and chemical hazards:	Not classified as physical hazards.
Classification of the substance or mixture:	Not classified as hazardous.
Label elements according to Regulation 1272:2008 (GHS)	
Symbol:	Not applicable.
Signal word:	Not applicable.
Hazard Statement:	Not applicable.
Precaution Statement:	Not applicable.
Label elements according to Directive 67/548/EEC	
Symbol:	Not applicable.
Risk Phrases:	Not classified.
Safety Phrases:	Not applicable.

SAFETY DATA SHEET

Product: Linear Low Density Polyethylene – Copolymers

Revision: 09

Date: 03.20.2017

Page: 3 /10

FSP-0603-00087

3- COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical name (followed by
CAS number):

Polyethylene copolymers:

1) PE copolymer of ethylene and octene-1 (CAS: 26221-73-8)

2) PE copolymer of ethylene and hexene-1 (CAS: 25213-02-9)

3) PE copolymer of 1-Butene, ethylene and 1-propene (CAS: 25895-47-0)

**4) PE copolymer of ethylene, propylene, butene-1 and hexene-1 (CAS:
60785-11-7)**

Synonyms:

Linear Low Density Polyethylene (LLDPE)

Ingredients or impurities that
contribute to the hazard
(followed by CAS number):

Silicon dioxide* (CAS: 7631-86-9)

* Substance's concentration doesn't contribute to the product's hazard
classification.

4- FIRST-AID MEASURES

-Inhalation:

No risks concerning inhalation at room temperature. In case of inhalation of
dusts or vapors at high temperatures, remove the victim to fresh air and keep
it in rest. Seek medical attention. Take this SDS.

-Ingestion:

Rinse the victim's mouth with plenty of water. DO NOT INDUCE VOMITING.
Seek medical attention. Take this SDS.

-Skin contact:

No health risks concerning skin contact at room temperature. In case of
contact with the hot product and if irritation happens, wash with plenty of
water. Remove clothing impregnated with the product. Seek medical
attention. Take this SDS.

-Eye contact:

Wash with running water for at least 15 minutes, keeping the eyelids open.
Remove contact lenses if that's the case. Seek medical attention. Take this
SDS.

Most important symptoms and
effects, both acute and delayed:

In case of dust formation and inhalation, may cause cough and sneezing.

Indication of any immediate
medical attention and special
treatment needed:

Avoid contact with this product while helping the victim. Keep the victim in
rest and warm. Do not provide anything to an unconscious person. The
symptomatic treatment should include, above all, measured of support as
correction of hydroelectrolytic and metabolic disturbances and respiratory
care.

SAFETY DATA SHEET

Product: Linear Low Density Polyethylene – Copolymers

Revision: 09

Date: 03.20.2017

Page: 4 /10

FSP-0603-00087

5- FIREFIGHTING MEASURES

Fire Extinguishing Media:	CO2, dry chemical powder, foam or water mist.
Special hazards arising from the substance or mixture:	When in a fire, may produce irritating and toxic gases like carbon monoxide and dioxide.
Advice for firefighters:	Cool closed containers with pulverized water. Firefight at safe distance. Evacuate the area. Use self-contained breathing apparatus (SCBA) operated in positive pressure mode and complete protective clothing.

6- ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Control of dust:	Not applicable. The product doesn't generate dust.
Removal of ignition sources:	Product isn't flammable. Eliminate preventively all the ignition sources around the area. Do not smoke in the area.
Provision of sufficient ventilation:	Use in a well ventilated area.
Prevention of inhalation and skin, mucous membranes and eyes contact:	Avoid contact with eye. Use appropriate personal protective equipment as indicated in – Section 8.
Environmental precautions:	Do not let this chemical enter the environment (soil, waterways and groundwater). Do not dispose directly on the environment or the sewer.
Methods and material for containment and cleaning up:	Use a method that does not generate dust. Collect the material in proper containers and remove them to a safe place.

7- HANDLING AND STORAGE

Precautions for safe handling:	Handle in a well ventilated area or with a general system of local ventilation/exhaustion Avoid contact with eyes and clothing. Remove ignition sources and heat. Do not smoke. Use exposure control measures and personal protective equipment as indicated in Section 8.
Hygiene advice:	Do not eat, drink or smoke when using this product. Wash hands before eating, drinking, smoking or going to the toilet. Take off all contaminated clothing and wash before reuse.
Conditions for safe storage,	Keep the product in its original packaging and in a cool, dry, safe from direct

SAFETY DATA SHEET**Product:** Linear Low Density Polyethylene – Copolymers**Revision:** 09**Date:** 03.20.2017**Page:** 5 /10**FSP-0603-00087**

including any incompatibilities:

sunlight and fireproof place. Keep the containers tightly closed. Keep away from food. Keep away from children.

Incompatibilities: fluorine, strong acids, strong oxidizers, chlorated solvents and aromatic compounds

Packaging materials:

The polyethylene resin, being an inert material, can be packaged in 25kg bags and big bags.

8- EXPOSURE CONTROLS/PERSONAL PROTECTION**Specific control parameters**

-Occupational exposure limits:

Chemical or common name	TLV – TWA (ACGIH, 2010)	PEL – TWA (OSHA, 1997)	REL – TWA (NIOSH, 2007)
	(mg/m ³)	(mg/m ³)	(mg/m ³)
Silicon dioxide* (silica)	-	15	6

* These substances aren't at enough concentration to contribute to the product's hazard classification.

Appropriate engineering controls:

Provide mechanical ventilation or direct exhaustion to the external media. It is recommended safety shower and eye bath available near work site. The engineering controls measures are the most effective to reduce exposure to the product.

Individual protection measures, such as personal protective equipment

Eye/face protection:

Safety goggles with lateral protection. Avoid using contact lenses while handling this product.

Skin and hand protection:

Suitable protective suit.

Respiratory protection:

It's not required specific respiratory protection equipment.

Thermal hazard:

Complete air-ventilated suit, with air supply, or any thermo-resistant clothing available.

Environmental exposure controls:

Do not discharge directly into the environment or into the sewer system. The dilution water from fire fighting can cause pollution.

9- PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Translucent /white solid

Odor:

Not available.

SAFETY DATA SHEET**Product:** Linear Low Density Polyethylene – Copolymers**Revision:** 09**Date:** 03.20.2017**Page:** 6 /10**FSP-0603-00087**

Odor threshold:	Not available.
pH:	Not available.
Melting point/freezing point:	Not available.
Initial boiling point and boiling range	Not available.
Flashpoint:	Not applicable.
Evaporation Rate	Not applicable.
Flammability:	Non flammable.
Upper/lower flammability or explosive limits:	Not applicable.
Vapour density (Air=1):	Not applicable.
Vapour Pressure (mm Hg):	Not applicable.
Relative density:	0.913g/cm ³
Solubility:	Insoluble in water. Soluble in xylene.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition temperature:	350°C
Decomposition temperature:	Not available.
Viscosity:	Not available.
Explosive properties:	Not available.
Oxidizing properties:	Not available.
Other information:	Polyethylene's maximum time of storage is 24 months after production, except of IDEALIS resins, which maximum time of storage is 30 months.

10- STABILITY AND REACTIVITY

Chemical stability:	Stable under normal conditions of handling and storage. Does not undergo depolymerization.
Possibility of hazardous reactions:	Reacts violently with fluorine.
Incompatible materials:	Fluorine, strong acids, strong oxidizers, chlorated solvents and aromatic compounds.
Conditions to avoid:	High temperatures. Incompatible materials.
Hazardous decomposition	The decomposition products depend on the processing temperature and the

SAFETY DATA SHEET

Product: Linear Low Density Polyethylene – Copolymers

Revision: 09

Date: 03.20.2017

Page: 7 /10

FSP-0603-00087

products:

presence of other materials. The processing temperature is about 250 °C. At this temperature, the concentrations of some hazardous substances, when detected, are below the level of action adopted by international references (ACGHI, NIOSH and OSHA). At temperatures above melting temperatures, the profile of the decomposition products may be different and fumes may be irritating.

11- TOXICOLOGICAL INFORMATION

Acute toxicity:	Non-toxic product. LD ₅₀ (oral, rats) > 8000mg/Kg
Skin corrosion/irritation:	Not irritating.
Serious eye damage/irritation:	Not irritating.
Respiratory or skin sensitization:	Depending of temperature process, fumes may be irritating.
Germ cell mutagenicity:	There aren't known germ cell mutagenicity effects.
Carcinogenicity:	There aren't known carcinogenicity effects.
Reproductive toxicity:	There aren't known reproductive toxicity effects.
STOT – single exposure:	At powder or dust form, may cause respiratory irritation with cough and sneezing.
STOT – repeated exposure:	There aren't known repeated exposure effects.
Aspiration hazard.	There aren't known aspiration effects.

12- ECOLOGICAL INFORMATION

Toxicity:	There aren't known ecological toxicity values.
Persistence and degradability:	It's expected high persistence and slow degradability.
Bioaccumulative potential:	There aren't known bioaccumulative potential.
Mobility in soil:	Not available.
Results of PBT and vPvB assessment:	Not available.

13- DISPOSAL CONSIDERATION

Product:	Should be disposed as hazardous waste according to local legislations. The treatment and disposal should be evaluated specifically for each product. Recycle any unused portion of the material approved for use or return it to the
----------	--

SAFETY DATA SHEET

Product: Linear Low Density Polyethylene – Copolymers

Revision: 09

Date: 03.20.2017

Page: 8 /10

FSP-0603-00087

	manufacturer or supplier. For other methods, consult federal and state laws.
Product waste:	Keep the product waste in their original containers and properly sealed. Disposal should be performed as established for the product.
Contaminated packaging:	Polyethylene package must be submitted to re-utilization in the working environment. Those may keep waste of the product and should be kept closed and sent to proper dispose. Recycle may be applied as long as followed the relevant laws. Big bag packages are returnable and may be returned to Braskem.

14- TRANSPORT INFORMATION

National and international regulations

Land (Road/rail):	UN - "United Nations" Recommendations on the TRANSPORT OF DANGEROUS GOODS. Model Regulations
Waterways (sea/inland):	IMO – International Maritime Organization International Maritime Dangerous Goods Code (IMDG Code)
Air:	IATA - International Air Transport Association Dangerous Goods Regulation (DGR)
UN number:	Not classified as hazardous for transport.
Environmental hazards:	Not hazardous.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Consult regulations: - International Maritime Organization. MARPOL: Articles, protocols, annexes, unified interpretations of the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 relating thereto, consolidated edition. IMO, London, 2006. - International Maritime Organization. IBC code: International code for the construction and equipment of shipping carrying dangerous chemicals in bulk: With Standards and guidelines relevant to the code. IMO, London, 2007.

15- REGULATORY INFORMATION

International Labor Organization C170 Chemicals Convention, from June 25th, 1990: Occupational Safety and Health – Toxic Substances and Agents.

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of

SAFETY DATA SHEET

Product: Linear Low Density Polyethylene – Copolymers

Revision: 09

Date: 03.20.2017

Page: 9 /10

FSP-0603-00087

Chemicals (REACH).

REACH - REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS. Commission Regulation (EC) No 1272/2008 of 16 December 2008, amending and repealing Directives 67/548/EEC and 1999/45/EC.

ECB - EUROPEAN CHEMICALS BUREAU. Directive 67/548/EEC (substances); Directive 1999/45/EC (preparations).

UN Recommendations on the TRANSPORT OF DANGEROUS GOODS. Model Regulations, 17th Edition, 2011

Restrictions: No use restrictions were found.

16- OTHER INFORMATION

BRASKEM warns that the handling of any chemical substance requires the previous knowledge of its hazards for the user. It is responsibility of the product user enterprise to promote the training of its employees and contractors about the possible risks arising from the product.

SDS elaborated by InterTox: February, 2011 – <http://www.intertox.com.br>

Abbreviations:

ACGIH – American Conference of Industrial Hygienists

CAS – Chemical Abstracts Service

IARC – International Agency for Research on Cancer

LD₅₀ – Lethal Dose 50%

NIOSH – National Institute of Occupational Safety and Health

OEL – Occupational Exposure Limit

OSHA – Occupational Safety and Health Administration

PEL – Permissible Exposure Limit

REL – Recommended Exposure Limit

STEL – Short-term Exposure Limit

TLV – Threshold Limit Value

TWA – Time Weighted Average

UN – United Nations

Bibliography:

ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS. Available at:

SAFETY DATA SHEET**Product:** Linear Low Density Polyethylene – Copolymers**Revision:** 09**Date:** 03.20.2017**Page:** 10 /10**FSP-0603-00087**

<<http://www.acgih.org/TLV/>>. Access in: Oct. 2011.

ECB - EUROPEAN CHEMICALS BUREAU. Directive 67/548/EEC (substances); Directive 1999/45/EC (preparations). Available at: <<http://ecb.jrc.it/>>. Access in: Oct. 2011.

EPA USA. 2011. EPI Suite™ for Microsoft® Windows, v 4.10. United States: Environmental Protection Agency, Washington. 2011. Available at: <<http://www.epa.gov/oppt/exposure/pubs/episuite.htm>>. Access in: Oct. 2011

HSDB - HAZARDOUS SUBSTANCES DATA BANK. Available at: <<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>>. Access in: Oct. 2011.

IARC - INTERNATIONAL AGENCY FOR RESEARCH ON CANCER. Available at: <<http://monographs.iarc.fr/ENG/Classification/index.php>>. Access in: Oct. 2011.

IPCS - INTERNATIONAL PROGRAMME ON CHEMICAL SAFETY – INCHEM. Available at: <<http://www.inchem.org/>>. Access in: Oct 2011.

IUCLID - INTERNATIONAL UNIFORM CHEMICAL INFORMATION DATABASE. [S.I.]: European chemical Bureau. Available at: <<http://ecb.jrc.ec.europa.eu>>. Access in: Oct 2011.

NIOSH - NATIONAL INSTITUTE OF OCCUPATIONAL AND SAFETY. International Chemical Safety Cards. Available at: <<http://www.cdc.gov/niosh/>>. Access in: Oct. 2011.

NITE-GHS JAPAN - NATIONAL INSTITUTE OF TECHNOLOGY AND EVALUATION. Available at: <http://www.safe.nite.go.jp/english/ghs_index.html>. Access in: Oct. 2011.

REACH - REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS. Amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals Available at: <<http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:164:0007:0031:EN:PDF>>. Access in; Oct. 2011.

SIRETOX/INTERTOX - SISTEMA DE INFORMAÇÕES SOBRE RISCOS DE EXPOSIÇÃO QUÍMICA. Available at: <<http://www.intertox.com.br>>. Access in: Oct. 2011.

TOXNET - TOXICOLOGY DATA NETWORKING. ChemIDplus Lite. Available at: <<http://chem.sis.nlm.nih.gov/>>. Access in: Oct. 2011.